§ 590.435

when no edible product is being processed. All equipment and processing areas must be thoroughly cleaned and sanitized prior to processing any edible product.

[36 FR 9814, May 28, 1971, as amended at 40 FR 20059, May 8, 1975. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981]

§ 590.435 Wholesomeness and approval of materials.

- (a) Substances and ingredients used in the manufacture or preparation of any egg product capable of use as human food shall be clean, wholesome, and unadulterated.
- (b) The use of chemical additives in egg products shall be permitted only when they are approved by the Administrator. The Administrator may require, in addition to listing the ingredients, a declaration of the additive, and the purpose of its use.
- (c) Chemical additives to be used in the preparation of egg products will be approved only if they comply with the following criteria:
- (1) The additive shall be safe under the conditions of its intended use.
- (2) The additive shall not promote deception or cause the product to be otherwise adulterated or unwholesome. Scientific data acceptable to the Administrator showing that the additive meets the criteria specified in this paragraph (c) shall be submitted by the person interested in having the additive approved.
- (d) Containers and packing or packaging materials in which shell eggs are received into the official plant shall be free from odors and materials which could contaminate or adulterate the eggs or egg products.

§ 590.440 Processing ova.

(a) Ova from slaughtered poultry may be brought into the official plant for processing: *Provided*, That the ova is from wholesome poultry inspected in a plant operating under the Poultry Products Inspection Act (21 U.S.C. 451 et seq.) and such product is harvested in a sanitary manner, properly handled, cooled, packaged and labeled: *And provided further*, That such product is wholesome and the containers of such product bear official identification

which assures the provisions of this paragraph have been met.

- (b) The ova and products containing ova shall be processed, cooled, and pasteurized in the official plant in the same manner as liquid, frozen, or dried yolk products.
- (c) The labeling for all products containing ova shall be approved by the Administrator prior to use.

SANITARY, PROCESSING, AND FACILITY REQUIREMENTS

§590.500 Plant requirements.

- (a) The plant shall be free from objectionable odors, dust, and smokeladen air.
- (b) The premises shall be free from refuse, rubbish, waste, and other materials and conditions which constitute a source of odors or a harbor for insects, rodents, and other vermin.
- (c) The buildings shall be of sound construction and kept in good repair to prevent the entrance or harboring of vermin.
- (d) Rooms shall be kept free from refuse, rubbish, waste materials, odors, insects, rodents, and from any conditions which may constitute a source of odors or engender insects and rodents. Materials and equipment not currently needed shall be handled or stored in a manner so as not to constitute a sanitary hazard.
- (e) Doors and windows that open to the outside shall be protected against the entrance of flies and other insects. Doors and windows serving rooms where edible product is exposed shall be so designed and installed to prevent the entrance of dust and dirt. Doors leading into rooms where edible product is processed shall be of solid construction and such doors, other than freezer and cooler doors, shall be fitted with self-closing devices.
- (f) Doors and other openings which are accessible to rodents shall be of rodent-proof construction.
- (g) There shall be an efficient drainage and plumbing system for the plant and premises. Drains and gutters shall be properly installed with approved traps and vents. The sewage system shall have adequate slope and capacity to readily remove waste from the various processing operations. Floor

drains shall be equipped with traps, and constructed so as to minimize clogging. In new or remodeled construction the drainage systems from toilets and laboratories shall not be connected with other drainage systems within the plant.

- (h) The water supply (both hot and cold) shall be ample, clean, and potable, with adequate pressure and facilities for its distribution throughout the plant or portion thereof utilized for egg processing and handling operations and protected against contamination and pollution. A water report, issued under the authority of a State or municipal health agency, certifying to the potability of the water supply shall be obtained by the applicant and furnished to the Administrator whenever such report is required by the Administrator.
- (i) The floors, walls, ceiling, partitions, posts, doors, and other parts of all structures shall be of such materials, construction, and finish to permit their ready and thorough cleaning. The floors and curbing shall be watertight.
- (j) Each room and each compartment in which any shell eggs or egg products are handled or processed shall be so designed, constructed, and maintained to insure processing and operating conditions of a clean and orderly character, free from objectionable odors and vapors, and maintained in a clean and sanitary condition.
- (k) Every precaution shall be taken to exclude dogs, cats, and vermin (including, but not being limited to, rodents and insects) from the plant, or portion thereof utilized in which shell eggs or egg products are handled or stored.
- (1)(1) There shall be a sufficient number of adequately lighted dressing rooms and toilet rooms, ample in size, conveniently located and separated from the rooms and compartments in which shell eggs or egg products are handled, processed, or stored. The dressing rooms and toilet rooms shall be separately ventilated, and shall meet all requirements as to sanitary construction and equipment.
- (2) The following formula shall serve as a basis for determining the toilet facilities required:

Persons of same sex	Toilet bowls required
1 to 15, inclusive	1
16 to 35, inclusive	2
36 to 55, inclusive	13
56 to 80, inclusive	14
For each additional 30 persons in excess of 80	¹ 1

¹ Urinals may be substituted for toilet bowls but only to the extent of one-third of the total number of bowls stated.

- (m) Lavatory accommodations (including, but not being limited to, hot and cold running water, single service towels, and soap which does not impart an odor which interferes with accurate evaluation of the product) shall be placed at such locations in the plant to assure cleanliness of each person handling any shell eggs or egg products. The hand washing facilities in the processing areas shall be operated by other than hand operated controls and the drains shall be trapped and connected to the plumbing system.
- (n) Suitable facilities for cleaning and sanitizing utensils and equipment shall be provided at convenient locations throughout the plant.
- (o) Refuse rooms shall be provided for the accumulation and storage of shells, trash, and other refuse. They shall be separate rooms completely enclosed without doorways opening into breaking rooms or rooms where egg products or packaging materials are handled or stored and have concrete floors with approved drains, facilities for cleaning, and an approved exhaust system vented to the outside. Alternative systems of handling shells, trash, and other refuse may be approved by the Administrator when such systems adequately contain all refuse and provide equivalent sanitary methods for the handling and removal of refuse.

[36 FR 9814, May 28, 1971; 36 FR 10841, June 4, 1971, as amended at 40 FR 20059, May 8, 1975. Redesignated at 42 FR 32514, June 27, 1977, as amended at 45 FR 23641, Apr. 8, 1980. Redesignated at 46 FR 63203. Dec. 31. 1981

§ 590.502 Equipment and utensils; PCB-containing equipment.

- (a) Equipment and utensils used in processing shell eggs and egg products shall be of such design, material, and construction as will:
- (1) Enable the examination, segregation, and processing of such products in